

SIHON[®]

2023 BROCHURE PRODUCT MANUAL



Sihon Electronics Co.,Ltd



COMPANY PROFILE

Sihon Electronics Co., Ltd. Was Established In The Year Of 2007. It Lies In The City Of Tianchang, china.

We Mainly Produce Ozone Generator And Various Models Of The Ozone Power, Ozone Ceramic Plate, Ozone Tube And Ozonizer, Etc.

We Also Export The Anion Generator, Charger, And All Kinds Of Ignition For Various Applications Of High Pressure Generator Different Models Of Anion Power, variety Of Electronic Anti-riots Etc, For Public Security Agencies And Other Security Units.

We Have Set Up A Strict Test System For Materials And Products. Each Piece Of The Product Must Pass The Quality Checkout. All Our Products Pass The ISO9001:2000 Standard, Iec And Mil. We Also Passed The Ccc, Ce, Rohs Certification Successfully In Near Years.

PRODUCT

TABLE OF CONTENTS

3.5-10g Air Purifier Ozone Machine	1
1-16g Air Purifier Ozone Machine	2
10-20g/h No welding Ceramic Plate Ozone Generator	3
Negative Ion Ozone Generator	4
External Air Source Ozone	6
All-in-one Air Purifier And Detector	7
10-30g Air Purifier Ozone Machine	8
220v10g Without Timer Ozone Generator	9
500MG/H 12V Car Ozone Purifier	10
200MG Ozone Air Purifier	11
5-10G Air Purification Ozone Machine	13
8000MG/H Home Air Purifier Sterilizer	14
30-60g Air Purifier Ozone Machine	15
10-11g Air Purifier Ozone Machine	16
8-16g Air Purifier Ozone Machine	17
5-10g Water Purifier Ozone Machine	18
5-10g Water Purifier Ozone Machine	19
20-80g Water Purifier Ozone Machine	20
80g/h Ozone Generator	21
30g/h Air Purification Ozone Generator	22
30g/h Ozone Air Purifier	23
8-16g Air Purifier Ozone Machine	24
8-16g Air Purifier Ozone Machine With Digital Timer	25
5-20G Can Be Customized Ozone Machine	26
10-11g Air Purifier Ozone Machine	27
Wall-mounted Ozone Generator	28
Laundry Ozonizer	29
Water Ozonator	30
Ozone Faucet Tap Water Filter Purifier With Air Pump	31
Tap Water Ozone Generator	32
Tap Water Ozone Generator Has No Air Pump	33
Faucet Ozonizer	34
Ozone Generator Fruit And Vegetable Disinfection Machine	35
Laundry Ozonizer	36
15g Ozone Machine For Water.....	38
Ozone Water Generator	39
Ozone Water Machine 5.0-8.0ppm	40
20L Ozone Water Machie	41
50g Ozone Machine	42
100g Ozone Machine	43
150g Ozone Machine	44
200g Ozone Machine	45
300g Ozone Machine	46

3.5-10g Air Purifier Ozone Machine

USAGE:

Used in household air purifier, air fresher, home air purifier, Dryer, dishwasher, shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.

FEATURES

- ◆ Ceramic Plate Ozone Machine, long Lifetime
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine



TECHNICAL PARAMETER:

Model	SO-P3.5G	SO-P5G	SO-P10G
Feeding	dry air and oxygen	dry air and oxygen	dry air and oxygen
Size	300*230*270mm	300*230*270mm	300*230*270mm
O ₃ Output(g/hour)	3.5	5	10
Input(v)	110V/220V	110V/220V	110V/220V
Frequency	5-7khz	5-7khz	5-7khz
Plate Material	Ceramic	Ceramic	Ceramic
Principle	Corona Discharge	Corona Discharge	Corona Discharge
Power	40W	60W	90W
Output Voltage	3.5kv	3.5kv	3.5kv
weight	2.5kg	2.5kg	2.5kg

1-16g Air Purifier Ozone Machine

USAGE:

Used in household air purifier, air fresher, home air purifier, Dryer, dishwasher, shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.



FEATURES

- ◆ Ceramic Ozone Plate, High Ozone Concentration
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine

TECHNICAL PARAMETER:

Model	SOG-HM-1G	SOG-HM-3.5G	SOG-HM-5G	SOG-HM-8G	SOG-HM-10G	SOG-MCP-16G
Feeding	dry air and oxygen	dry air and oxygen	dry air and oxygen	dry air and oxygen	dry air and oxygen	dry air and oxygen
Size	250*180*260 mm	250*180*260 mm	250*180*260 mm	250*180*260 mm	250*180*260 mm	250*180*260 mm
O ₃ Output (g/hour)	1	3.5	5	8	10	16
Input(v)	110v/220v	110v/220v	110v/220v	110v/220v	110v/220v	110v/220v
Frequency	5-7khz	5-7khz	5-7khz	5-7khz	5-7khz	5-7khz
Plate Material	Ceramic	Ceramic	Ceramic	Ceramic	Ceramic	Ceramic
Principle	Corona Discharge	Corona Discharge	Corona Discharge	Corona Discharge	Corona Discharge	Corona Discharge
Power	15w	35w	50w	60w	90w	90w
Output Voltage	3.5kv	3.5kv	3.5kv	3.5kv	3.5kv	3.5kv

10-20g/h No welding Ceramic Plate Ozone Generator

USAGE:

Used in household air purifier, air fresher, home air purifier, Dryer, dishwasher, shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.

FEATURES

- ◆ Ceramic ozone plate, high ozone concentration
- ◆ No need welding ozone plate
- ◆ Ozone plate lifetime 10000 hours



TECHNICAL PARAMETER:

Model	SOG-LCP-10G	SOG-LCP-20G
Feeding	dry air and oxygen	dry air and oxygen
Size of plate(mm)	105*50mm	105*50mm*2pcs
Size of machine(mm)	175*150*205mm	175*150*205mm
O ₃ Output(g/hour)	10	20
Input(v)	110v/220v	110v/220v
Frequency	5-7khz	5-7khz
Plate Material	Ceramic	Ceramic
Principle	Corona Discharge	Corona Discharge
Power	55W	90W
Output voltage	3.5kv	3.5kv

Negative Ion Ozone Generator

USAGE:

Used in household air purifier, air fresher, home air purifier, Dryer, dishwasher, shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.



FEATURES

- ◆ Large fan, good cooling effect
- ◆ Ozone and negative ions can be used for sterilization and disinfection
- ◆ At the same time
- ◆ Cycle timing
- ◆ Negative ion disinfection can coexist with human and machine
- ◆ Can be customized 8G, 16G, 32G

TECHNICAL PARAMETER:

Ozone Concentration	16g/h
CFM	90
Size	202*246*320mm
Weight	4.5kg
Power	90W
Applicable Space	100m ²
Voltage	220V/110V

PRODUCT INSTRUCTIONS

1. Place the ozone/negative ion generator in the area to be sterilized to ensure that there are no obstructions and inflammables around the machine. (The machine work will generate temperature, beware of fire).

2. To close the doors and windows, please confirm that there is no living thing in the sterilization area. People or animals and all other living things need to leave the sterilization area before the machine can be turned on.
3. Power on the machine, open the Ozone button, and close the ions button. At this time, the machine will generate ozone, which is used for sterilization and disinfection.
4. Power on the machine, turn on the ions button and turn off the Ozone button, then the machine will release negative ions and use negative ions to purify the air.
5. The machine timing time (generally household timing is 10 minutes), the machine will automatically shut down when the timing is over.
6. When using ozone disinfection, after the machine is automatically shut down, you need to wait for 60 minutes. During this period, please do not enter the sterilization area. After 60 minutes, open the doors and windows of the disinfection area for ventilation. You need to wait until there is no ozone smell in the air into people or animals and all other living things.
7. When using negative ion purification, after the machine automatically shuts down, you can enter the purification area for ventilation and other operations without waiting.

PRODUCT NOTES

1. Ozone is irritating to the mucous membranes of the respiratory tract, the mucous membranes of the eyes, mouth, nose, etc. If you accidentally inhale it, please seek medical attention immediately. The manufacturer does not bear any responsibility and joint responsibility, and no compensation is required.
2. When using ozone, please confirm that there are no living things in the sterilization area, including people, animals, plants and other living things.
3. When using ozone, do not enter the sterilization area immediately after the machine finishes working. After 60 minutes, open the doors and windows of the sterilization area for ventilation, and wait until there is no ozone smell in the air before entering.
4. The working of the machine will generate temperature, make sure that there are no obstructions and flammable objects around the machine when it is working, so as to avoid fire.
5. When using negative ions, static electricity will be generated inside the machine, and static electricity may cause weak current on the machine shell, please pay attention!
6. The manufacturer recommends to select one working mode separately. If the two working modes are turned on at the same time, it is possible that the use effect will interfere with each other.
7. The machine should avoid working for a long time, avoid working in an environment higher than normal temperature, and avoid working in a humid environment.
8. If the machine needs to be used frequently, the use interval needs to be more than 3 hours, so that the machine can fully rest and dissipate heat.

External Air Source Ozone

USAGE:

Used in household air purifier, air fresher, home air purifier, Dryer, dishwasher, shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.



FEATURES

- ◆ Multi-function ozone generator for air and water disinfection
- ◆ healthSterilization
- ◆ remove residual pesticides
- ◆ remove odor
- ◆ oxygen increasing
- ◆ health

MULTIFUNCTION OZONE GENERATOR APPLICATIONS



OPERATION METHOD



① Connect to power supply and turn on the machine.



② Turn on the air pump.



① Connect to power supply and turn on the machine.



② Connect the gas inlet and outlet pipes.



③ Adjust output air pressure/current.



④ The indicator light will shine and it starts to work.



③ Adjust the output air pressure.



④ The indicator light will shine and it starts to work.

(1)

(2)

All-in-one Air Purifier And Detector

USAGE:

Used in household air purifier,air fresher, home air purifier, Dryer,dishwasher,shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.

FEATURES

- ◆ Formaldehyde Detection
- ◆ Tvoc Detection
- ◆ Purifying Air
- ◆ Can Be Used For Car
- ◆ Can Be Used At Home



TECHNICAL PARAMETER:

Power Supply	DC12V
Power	2W
Color	black and white
HCHO (Formaldehyde)	Standard≤0.10mg/m³
TVOC	Standard≤0.6mg/m³
Size	135*75*55mm
Weights	0.5Kg
Cope Of Test	HCHO (formaldehyde): 0-1.999mg/m³
	TVOC: 0-9.999mg/m³ detection time 5-10 minutes

Note: No alarm will be issued if the standard is not exceeded

10-30g Air Purifier Ozone Machine

USAGE:

Used in household air purifier, air fresher, home air purifier, Dryer, dishwasher, shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.

FEATURES

- ◆ Quartz Tube Ozone Machine, long Lifetime
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine

TECHNICAL PARAMETER:



10G



20G



30G

Model	SOG-HM-10G	SOG-HM-20G	SOG-HM-30G
Feeding	dry air and oxygen	dry air and oxygen	dry air and oxygen
Size	270*140*180mm	270*280*180mm	470*160*180mm
O ₃ Output(g/hour)	10	20	30
Input(v)	110V/220V	110V/220V	110V/220V
Frequency	5-7khz	5-7khz	5-7khz
Plate Material	Ceramic	Ceramic	Ceramic
Principle	Corona Discharge	Corona Discharge	Corona Discharge
Power	55W	55W*2	55W*3
Output Voltage	3.5kv	3.5kv	3.5kv

220v10g Without Timer Ozone Generator

USAGE:

Used in household air purifier, air fresher, home air purifier, Dryer, dishwasher, shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.

FEATURES

- ◆ Long Lifetime
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine



TECHNICAL PARAMETER:

Model Number	10g/h Air Purifying Ozone Machine
Input voltage	110 V/220V 50Hz
size	226*108*165mm
weight	1.5kg
Oxygen output	5g/h 10g/h 15g/h 20g/h (under aerobic environment)
cooling method	air cooling
enter	AC 220V 110V
power	50W~100W
frequency	3~4 khz
output	3.1kv-3.5kv

Note: 5g/h, 15g, 20g Can Be Made. The Appearance And Color Are The Same. They Are All Stainless Steel Shells. When Ordering, Be Sure To Clarify Whether You Want 110v Or 220v!

500MG/H 12V Car Ozone Purifier

USAGE:

Used in household air purifier, air fresher, home air purifier, Dryer, dishwasher, shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.



FEATURES

- ◆ Small and exquisite, easy to carry
- ◆ Can be used for home/car disinfection
- ◆ Good sterilization and disinfection effect

TECHNICAL PARAMETER:

Model Number	500MG/H 5V Car Ozone Generator
Capacity (CFM)	45
Dimensions	116*76*46mm
Power	5W
Voltage	5V
Installation	usb
Application	Car、Space disinfection
Power Source	Electric
Gaseous Pollutant CADR	60m³/h



200MG Ozone Air Purifier

USAGE:

This ozone air purification and disinfection machine uses the principle of corona discharge, graphene internal electrodes; stainless steel ozone generator designed and manufactured along the surface of the quartz tube and long-life discharge electrodes; equipped with a dedicated driving power supply, efficient and reliable, and sufficient ozone output, The same volume is more than twice the life and output of similar products at present, and is designed for disinfection treatment of indoor environment (air and objects).

Basic function: kill virus and bacteria on the surface of the air, deodorize and eliminate odor.



FEATURES

- ◆ Small And Easy To Carry
- ◆ Smart Remote Control Electricity
- ◆ Simple Operation And Easy Installation

TECHNICAL PARAMETER:

Name	200MG Ozone Air Purifier
Model	AKQ-B1-TD
Ozone Production	200mg/hour
Timing Method	Remote control/touch
Voltage	DC12V 1A
Power	4.5W
Product Sizeweight	180*120*50mm
Package Dimensions	0.3KG (including accessories)
Package Weight	286*143*60mm

Notice:

High concentrations of ozone are toxic and can be a health hazard, so precautions must be taken to prevent uncontrolled ozone leaks. This equipment should only be handled by a qualified technician. To optimize the effectiveness of the generator it is recommended to replace the ceramic plate every 6 months.

Installation Notes

- (1) Select the Velcro that comes with the machine.
- (2) Put the machine on the desktop or stick it on the wall with Velcro. Install the power supply. Turn on the switch on the right side of the machine. Pull out the battery protection film of the remote control and get ready for work.

Scope of application

1. Hospitals: Disinfection of elevators and public toilets, killing viruses and bacteria on the air and indoor surfaces.
2. Hotels: Disinfect the environment of guest rooms, restaurants, kitchens, pantries, and bathrooms, eliminate odors and odors in the air, and freshen the air.
3. Food factory: Disinfection of the changing room environment.
4. Slaughterhouses, meat, poultry and fish markets: fresh air, deodorization and deodorization.
5. Warehouses, storage rooms, basements: environmental disinfection, deodorization, and odor removal.
6. Station waiting hall, airport waiting hall, passenger compartment, toilet: air disinfection, deodorization and freshness.
7. Disinfection of central air-conditioning ventilation pipes.
8. The newly installed household cleans the home, which can effectively remove formaldehyde, benzene, ammonia, carbon monoxide, kill bacteria, germs, and odor molds emitted by furniture in the air, purify the air, and is especially suitable for the cleaning of home kitchens and bathrooms.

5-10G Air Purification Ozone Machine

USAGE:

Used in household air purifier, air fresher, home air purifier, Dryer, dishwasher, shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.



5G

FEATURES

- ◆ Ozone Machine, long Lifetime
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine



10G

TECHNICAL PARAMETER:

Model	SO-T5g	SO-T10g
Feeding	dry air and oxygen	dry air and oxygen
Size	250*200*110mm	328*220*160mm
O ₃ Output(g/hour)	5	10
Input(v)	110V/220V	110V/220V
Plate Material	Ozone tablets	Ozone tablets
Principle	Corona Discharge	Corona Discharge
Power	55W	80W
weight	2kg	4kg


8000MG/H Home Air Purifier Sterilizer

USAGE:

Used in household air purifier,air fresher, home air purifier, Dryer,dishwasher,shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.

FEATURES

- ◆ Ceramic Plate Ozone Machine,long Lifetime
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine



TECHNICAL PARAMETER:

Input voltage	110 V/220V 50HZ
Size	310*165*300mm
Weight	3.5kg
O ₃ output	50mg-80mg/m ³ (under Oxygen circumstance)
	40mg-50mg/m ³ (under Air circumstance)
When use 10-15L Air pump/Min	O ₃ Output:8g/hour (under Air circumstance)
	O ₃ Output:6g-8g/hour (under Oxygen circumstance)
Cooling	Air Cooling
Input	AC: 220V, 110V
Power	80W (adjustable)
Frequency	3-4 khz
Tube Material	high quality 96 Ceramic
Output	3.1kv-3.5kv
Under the Oxygen circumstance	The flow rate is at 0.5L/Min,the O ₃ Concentration is 80MG/L.
	The flow rate is at 1L/Min,the O ₃ Concentration is 60MG/L

Note : 1PPM=2.14mg/m³

30-60g Air Purifier Ozone Machine

USAGE:

Used in household air purifier,air fresher, home air purifier, Dryer,dishwasher,shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.

FEATURES

- ◆ Ceramic Plate Ozone Machine, long Lifetime
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine



TECHNICAL PARAMETER:

Model	SO-P30G	SO-P60G
Feeding	dry air and oxygen	dry air and oxygen
Size	442*223*222mm	442*223*222mm
O ₃ Output(g/hour)	30	60
Input(v)	110V/220V	110V/220V
Frequency	5-7khz	5-7khz
Plate Material	Ceramic	Ceramic
Principle	Corona Discharge	Corona Discharge
Power	200W	400W
Output Voltage	3.5kv	3.5kv
weight	8kg	8kg

10-11g Air Purifier Ozone Machine

USAGE:

Used in household air purifier,air fresher, home air purifier, Dryer,dishwasher,shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.



SO-QB10g

FEATURES

- ◆ Ozone Machine, long Lifetime
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine



SO-QB11g

TECHNICAL PARAMETER:

Model	SO-QB10g	SO-QB11g
Feeding	dry air and oxygen	dry air and oxygen
Size	470*165*206mm	220*210*200mm
O ₃ Output(g/hour)	10	11
Input(v)	110V/220V	110V/220V
Frequency	5-7khz	5-7khz
Plate Material	Quartz Tube	Ceramic Plate
Principle	Corona Discharge	Corona Discharge
Power	85W	90W
Output Voltage	3.5kv	3.5kv
weight	3.2kg	2.5kg

8-16g Air Purifier Ozone Machine

USAGE:

Used in household air purifier, air fresher, home air purifier, Dryer, dishwasher, shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.

FEATURES

- ◆ Ceramic Plate Ozone Machine. long Lifetime
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine



SO-P8g



SO-P16g

TECHNICAL PARAMETER:

Model	SO-P8g	SO-P16g
Feeding	dry air and oxygen	dry air and oxygen
Size	220*150*170mm	400*250*230mm
O ₃ Output(g/hour)	8	16
Input(v)	110V/220V	110V/220V
Frequency	5-7khz	5-7khz
Plate Material	Ceramic Plate	Ceramic Plate
Principle	Corona Discharge	Corona Discharge
Power	87W	145W
Output Voltage	3.5kv	3.5kv
weight	2.5kg	5kg

5-10g Water Purifier Ozone Machine

USAGE:

Used in household Water purifier, Water fresher, home Water purifier, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.



FEATURES

- ◆ Ceramic Tube Ozone Machine, long Lifetime
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine

TECHNICAL PARAMETER:

Model	SO-QC5g	SO-QC10g
Feeding	dry air and oxygen	dry air and oxygen
Size	360*170*270mm	360*170*270mm
O ₃ Output(g/hour)	5	10
Input(v)	110V/220V	110V/220V
Frequency	5-7khz	5-7khz
Plate Material	Ceramic Tube	Ceramic Tube
Principle	Corona Discharge	Corona Discharge
Power	85W	120W
Output Voltage	3.5kv	3.5kv
weight	4.2kg	4.5kg

5-10g Water Purifier Ozone Machine

USAGE:

Used in household air purifier, air fresher, home air purifier, Dryer, dishwasher, shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.



FEATURES

- ◆ Stainless steel Ozone plate Machine, long Lifetime
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine

TECHNICAL PARAMETER:

Model	SO-PC5g	SO-PC10g
Feeding	dry air and oxygen	dry air and oxygen
Size	220*150*170mm	220*150*170mm
O ₃ Output(g/hour)	5	10
Input(v)	110V/220V	110V/220V
Frequency	5-7khz	5-7khz
Plate Material	stainless steel	stainless steel
Principle	Corona Discharge	Corona Discharge
Power	70W	85W
Output Voltage	3.5kv	3.5kv
weight	2.5kg	2.5kg

20-80g Water Purifier Ozone Machine

USAGE:

Used in household air purifier,air fresher, home air purifier, Dryer,dishwasher,shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.

FEATURES

- ◆ Ozone Machine, long Lifetime
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine



SO-Q20g



SO-Q80g

TECHNICAL PARAMETER:

Model	SO-Q20g	SO-Q80g
Feeding	dry air and oxygen	dry air and oxygen
Size	320*155*280mm	220*150*170mm
O ₃ Output(g/hour)	20	80
Input(v)	110V/220V	110V/220V
Frequency	5-7khz	5-7khz
Plate Material	Ceramic Tube	stainless steel
Principle	Corona Discharge	Corona Discharge
Power	95W	300W
Output Voltage	3.5kv	3.5kv
weight	4kg	8kg

80g/h Ozone Generator

USAGE:

Used in household air purifier, air fresher, home air purifier, Dryer, dishwasher, shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.



FEATURES

- ◆ Ozone Machine, long Lifetime
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine

TECHNICAL PARAMETER:

Product Name	80g/h Ozone Generator
Capacity (CFM)	120CFM
Power	220W
Voltage	110V / 220V
Application Area	900-150m ²
Certification	EMC CE RoHS

30g/h Air Purification Ozone Generator

USAGE:

Used in household air purifier,air fresher, home air purifier, Dryer,dishwasher,shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.



FEATURES

- ◆ Ozone Machine, long Lifetime
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine

TECHNICAL PARAMETER:

Product Name	30g/h Ozone Generator
Capacity (CFM)	99.9CFM
Power	190W
Voltage	220V
Application Area	900-150m ²
Certification	CE
size	48*20*28cm
weight	6kg

30g/h Ozone Air Purifier

USAGE:

Used in household air purifier,air fresher, home air purifier, Dryer,dishwasher,shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.



FEATURES

- ◆ Ozone Machine, long Lifetime
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine

TECHNICAL PARAMETER:

Product Name	30g/h ozone air purifier
Input Voltage	110V / 220V
Size	48*20*28CM
Weight	6kg
Power	240W
Ozone Production	30g/h
Service Life	10000H

8-16g Air Purifier Ozone Machine

USAGE:

Used in household air purifier,air fresher, home air purifier, Dryer,dishwasher,shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.



FEATURES

- ◆ Stainless Steel Ozone Plate Ozone Machine, long Lifetime
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine

TECHNICAL PARAMETER:

Model	SO-P8g	SO-P16g
Feeding	dry air and oxygen	dry air and oxygen
Size	200*155*200mm	200*155*200mm
O ₃ Output(g/hour)	8	16
Input(v)	110V/220V	110V/220V
Frequency	5-7khz	5-7khz
Plate Material	Stainless Steel Ozone Plate	Stainless Steel Ozone Plate
Principle	Corona Discharge	Corona Discharge
Power	50W	90W
Output Voltage	3.5kv	3.5kv
weight	3.5kg	3.5kg

8-16g Air Purifier Ozone Machine With Digital Timer

USAGE:

Used in household air purifier, air fresher, home air purifier, Dryer, dishwasher, shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.



FEATURES

- ◆ Stainless Steel Ozone Plate Ozone Machine, long Lifetime
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine

TECHNICAL PARAMETER:

Model	SO-PD8g	SO-PD16g
Feeding	dry air and oxygen	dry air and oxygen
Size	200*155*200mm	320*155*280mm
O ₃ Output(g/hour)	8	16
Input(v)	110V/220V	110V/220V
Frequency	5-7khz	5-7khz
Plate Material	Stainless Steel Ozone Plate	Stainless Steel Ozone Plate
Principle	Corona Discharge	Corona Discharge
Power	50W	90W
Output Voltage	3.5kv	3.5kv
weight	3.5kg	4kg

5-20G Can Be Customized Ozone Machine

USAGE:

Used in household air purifier, air fresher, home air purifier, Dryer, dishwasher, shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.



FEATURES

- ◆ Mini Design, can Be Timed
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine

TECHNICAL PARAMETER:

Model	SO-P10g
Feeding	dry air and oxygen
Size	170*215*150mm
O ₃ Output(g/hour)	10
Input(v)	110V/220V
Plate Material	Ceramic Plate
Principle	Corona Discharge
weight	1.8kg
Power	80W

Note: 20g 24g 28g 32g 36g 48g 60g Can Be Made

10-11g Air Purifier Ozone Machine

USAGE:

Used in household air purifier, air fresher, home air purifier, Dryer, dishwasher, shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.

FEATURES

- ◆ Ozone Machine, long Lifetime
- ◆ Stable Working Performance
- ◆ Portable Ozone Machine



SO-PB5g



SO-QB10g

TECHNICAL PARAMETER:

Model	SO-PB5g	SO-QB10g
Feeding	dry air and oxygen	dry air and oxygen
Size	220*150*170mm	210*170*140mm
O ₃ Output(g/hour)	5	10
Input(v)	110V/220V	110V/220V
Frequency	5-7khz	5-7khz
Plate Material	Ceramic Plate	Quartz Tube
Principle	Corona Discharge	Corona Discharge
Power	70W	90W
Output Voltage	3.5kv	3.5kv
weight	2.5kg	3.5kg

Wall-mounted Ozone Generator

USAGE:

Used in household air purifier,air fresher, home air purifier, Dryer,dishwasher,shoe cabinet, household disinfectant cabinet, oxygen bar, dehumidifier, refrigerator, domestic appliance and so on.



FEATURES

- ◆ Low Energy Consumption, Remote Control
- ◆ Double Air Cooling System, Super Air Volume
- ◆ Powerful Formaldehyde Removal

TECHNICAL PARAMETER:

Model	Wall-mounted Ozone Generator
Voltage	220V
Appearance Material	Stainless Steel Material
Features	Microcomputer Control
size	600*220*160mm

Laundry Ozonizer

USAGE:

Designed For Kitchen, Unique Mini Design, Easy To Use. Ozonated Water To Meet Need For Daily Life And Restaurant. Medical-increase Safety And Sanitation People Use Water To Wash,bathe Or Irrigate Wounds And Incisions;laundry- Eliminate Mold, Fungus, Bacteria And Virus, Remove Pesticides And Herbicides, And Decompose Petroleum Hydrocarbon;




FEATURES

- ◆ Small and exquisite, easy to carry
- ◆ Washable fruits and vegetables
- ◆ laundry
- ◆ Good sterilization and disinfection effect

TECHNICAL PARAMETER:

Specification	500mg
Power	6W
Input(dc)	12V
Weight	0.5Kg
Ozone Concentration	0.5-1ppm

LAUNDRY OZONIZER



Water Ozonator

USAGE:

Chef- designed for kitchen, unique mini design, easy to use. ozonated water to meet need for daily life and restaurant. Medical-Increase safety and sanitation people use water to wash, bathe or irrigate wounds and incisions; Laundry- eliminate mold, fungus, bacteria and virus, remove pesticides and herbicides, and decompose petroleum hydrocarbon;

FEATURES

- ◆ High Ozone Concentration 0.2-1ppm
- ◆ Nice Design, inner Venturi
- ◆ Use Dc12v As Control Voltage



TECHNICAL PARAMETER:

Product Name:	Intelligent Ozone Water Machine
Ozonated Water Concentration:	0.2-1.0 PPM
Water Flow:	200-900l/h
Inlet Water:	Tap Water
Water Inlet Temperature:	5-30℃
Water Outlet Pressure:	3.0 Bar
Voltage:	100-240V 50/60Hz
Power Consumption:	6w
Unit Size:	L125x W44 X H163mm
Net Weight:	0.5kgs
Color:	Silver

Note : Non-contact Auto Stand-by And Sleep System
Ce (lvd & Ems) Approval
Rohs Compliant

Ozone Faucet Tap Water Filter Purifier With Air Pump

USAGE:

Chef- designed for kitchen, unique mini design, easy to use. ozonated water to meet need for daily life and restaurant. Medical-Increase safety and sanitation people use water to wash, bathe or irrigate wounds and incisions;
Laundry- eliminate mold, fungus, bacteria and virus, remove pesticides and herbicides, and decompose petroleum hydrocarbon;

FEATURES

- ◆ High Ozone Concentration 0.2-1ppm
- ◆ Nice Design, inner Air Pump And Air Stone
- ◆ Use Dc12v As Control Voltage



TECHNICAL PARAMETER:

Product name:	Intelligent ozone water machine
Ozonated water concentration:	0.2-1.0 PPM
Water flow:	200-900L/H
Inlet water:	Tap water
Water inlet temperature:	5-30 ℃
Water outlet pressure:	3.0 Bar
Voltage:	100-240V 50/60HZ
Power consumption:	6W
Unit size:	L115 x W50 x H180MM
Net weight:	0.5KGS
Gross weight:	0.9KGS
Color:	Silver

Note : Intelligent micro pulse operational control system
Micro gas-water mixer system
Non-contact auto stand-by and sleep system
CE (LVD & EMS) approval;
ROHS Compliant

Tap Water Ozone Generator

USAGE:

Chef- designed for kitchen, unique mini design, easy to use. ozonated water to meet need for daily life and restaurant. Medical-Increase safety and sanitation people use water to wash, bathe or irrigate wounds and incisions; Laundry- eliminate mold, fungus, bacteria and virus, remove pesticides and herbicides, and decompose petroleum hydrocarbon;

FEATURES

- ◆ High Ozone Concentration 0.2-1ppm
- ◆ Nice Design, no Consumable Parts Or Oxygen Gas Need
- ◆ Use Dc12v As Control Voltage



TECHNICAL PARAMETER:

Product name:	Intelligent ozone water machine
Ozonated water concentration:	0.2-1.0 PPM
Water flow:	200-900L/H
Inlet water:	Tap water
Water inlet temperature:	5-30℃
Water outlet pressure:	3.0 Bar
Voltage:	100-240V 50/60HZ
Power consumption:	6W
Unit size:	L115 x W50 x H180MM
Net weight:	0.5KGS
Gross weight:	0.9KGS
Color:	Silver

Note : Intelligent micro pulse operational control system
 Micro gas-water mixer system
 Non-contact auto stand-by and sleep system
 CE (LVD & EMS) approval;
 ROHS Compliant

Tap Water Ozone Generator Has No Air Pump

USAGE:

Chef- designed for kitchen, unique mini design, easy to use. ozonated water to meet need for daily life and restaurant. Medical-Increase safety and sanitation people use water to wash, bathe or irrigate wounds and incisions; Laundry- eliminate mold, fungus, bacteria and virus, remove pesticides and herbicides, and decompose petroleum hydrocarbon;

FEATURES

- ◆ High Ozone Concentration 0.2-1ppm
- ◆ Nice Design, no Consumable Parts Or Oxygen Gas Need
- ◆ Use Air And Water As Material



TECHNICAL PARAMETER:

Product name:	Intelligent Ozone Water Machine
Ozonated water concentration:	0.2-1.0 Ppm
Water flow:	200-900l/h
Inlet water:	Tap Water
Water inlet temperature:	5-30℃
Water outlet pressure:	3.0 Bar
Voltage:	100-240v 50/60hz
Power consumption:	6w
Unit size:	L115 X W50 X H180mm
Net weight:	0.5kgs
Gross weight:	0.9kgs
Color:	Silver

Note : Intelligent micro pulse operational control system
 Micro gas-water mixer system
 Non-contact auto stand-by and sleep system
 CE (LVD & EMS) approval;
 ROHS Compliant

Faucet Ozonizer

USAGE:

Designed For Kitchen, Unique Mini Design, Easy To Use. Ozonated Water To Meet Need For Daily Life And Restaurant. Medical-increase Safety And Sanitation People Use Water To Wash,bathe Or Irrigate Wounds And Incisions;laundry- Eliminate Mold, Fungus, Bacteria And Virus, Remove Pesticides And Herbicides, And Decompose Petroleum Hydrocarbon;



TECHNICAL PARAMETER:

Specification	500mg
Power	6W
Input(dc)	12V
Weight	0.5Kg
Ozone Concentration	0.5-1ppm

PRODUCT ACCESSORIES



Ozone Generator Fruit And Vegetable Disinfection Machine

USAGE:

Designed For Kitchen, Unique Mini Design, Easy To Use.
Ozonated Water To Meet Need For Daily Life And Restaurant.
Medical-increase Safety And Sanitation People Use Water To
Wash,bathe Or Irrigate Wounds And Incisions;laundry- Eliminate
Mold, Fungus, Bacteria And Virus, Remove Pesticides And
Herbicides, And Decompose Petroleum Hydrocarbon;



FEATURES

- ◆ Effectively Degrade Pesticide Residues
- ◆ Skin Care, Sterilization And Deodorization
- ◆ Fish Tank Disinfection
- ◆ Simple Operation, Regular Work

TECHNICAL PARAMETER:

Product Name	Ozone generator
Shell Material	Flame retardant material
Input Voltage	220V
Power	30W
Instructions	Plug and play

Laundry Ozonezer

USAGE:

Designed For Kitchen, Unique Mini Design, Easy To Use. Ozonated Water To Meet Need For Daily Life And Restaurant. Medical-increase Safety And Sanitation People Use Water To Wash,bathe Or Irrigate Wounds And Incisions;laundry- Eliminate Mold, Fungus, Bacteria And Virus, Remove Pesticides And Herbicides, And Decompose Petroleum Hydrocarbon;



FEATURES

- ◆ Environmental Friendly
- ◆ Water Saving
- ◆ Healthy
- ◆ Safety
- ◆ Increase Flax Lifespan
- ◆ Increase Brightness

TECHNICAL PARAMETER:

Mode	Laundry Water Treatment (XH-W503)
Lelectric	Input: AC 100-240V/50*60Hz Output: DC 12V 2.5A 30W
Ozone Concentration	0.4-0.5mg/L
Water Pressure	Min: 15psi Max: 75psi
Operating Temperature	0-78℃
Product Size	432*254*94mm
Net Weight	1.8kg

12V INTELLIGENT DUAL-EJECTOR OZONE LAUNDRY SYSTEM

Preferable Clothing Cleaning And Sanitation Solution.

Ultimate Insecticide Removing Solution For Fruits And Vegetables.

Effectively Get Rid Of Laundry Machine Odors.

Reduce Daily Costs On Water Heating And Chemical Detergent Use.

Reduce Plastic Pollutants.

A CHEMICAL-FREE, ECO-FRIENDLY AND SAFE WATER STERILIZATION SOLUTION

Intelligent And Environment-friendly Companion To Remove Insecticide And Hormone Residues.

Best Choice For Tableware Disinfection,kitchen And Toilet Sterilization,and Odor Elimination.

Uses A Safe 12V DC Power For Asfety In Home Use.

OZONE LAUNDRY BENEFITS

Achieves An Efficient Clothes Sterilization To Effectively Remove Odor.

Reduces The Use Of Chemical Bleach While Achieving A Beter Whitening Effect.

Avoids Residue Problems Caused By Using Chemical Fluorescent Brighteners.


Activates Drtergent To Make Clothes More Fluffy And Supple While Save The Use Of Softener.

Clod Water Washing Reduces Hot Water Consumption And Drying Time.

Reduces The Use Of Chemical Detergents For Less Rinse Cycle,less Water Consumption And A Reduced Sewer Discharge.

Reduces Chemical Wearing To Fabric Such As Linen While Increases Its Longevity.

Avoid Exposure To Harmful Chemicals To Ensure Health.



- 1.households enter the water processor through the inlet and flow through to the jet;
- 2.pure air enters the ozone generator from the air dryer;
- 3.the ejector will create a powered water stream of flowing water;
- 4.the water with ozone flows to the gas-liquid mixing place,so that the ozone and water are fully mixed(the ozone concentration is as high as 0.5mg/L)
- 5.the fully mixed water is sterilized by the ultraviolet germicidal lamp behind themixer;
- 6.the sterilized uniform ozone water is transported to the washing machine,kitchen,toilet and other water places through pipelines;

15g Ozone Machine For Water

USAGE:

Used in Household water purifier, Water purification factory, Large hotel, Hospital disinfection, ozone machine, Aquaculture, Sewage disposal facility, SPA and Hot tub, Water dispenser, Big Swimming pool, Drinking water company, Pharmaceutical factory and so on.



FEATURES

- ◆ High Ozone Concentration
- ◆ Can Purify Water And Air
- ◆ Inner Has Air Pump


TECHNICAL PARAMETER:

Product name:	15g Ozone Machine For Water
Input voltage:	110 V/220V 50HZ
Size:	310*165*300mm
Weight:	9kg
O ₃ output:	50mg-80mg/m ³ (under Oxygen circumstance)
O ₃ output:	40mg-50mg/m ³ (under Air circumstance)
1PPM:	2.14mg/m ³
When use 10-15L Air pump/Min:	O ₃ Output:6g-8g/hour (under Oxygen circumstance)
Cooling:	Air Cooling
Input:	AC: 220V, 110V
Power:	80W (adjustable)
Frequency:	3-4 khz
Tube Material:	high quality 96 Ceramic
Output:	3.1kv-3.5kv
Under the Oxygen circumstance:	The flow rate is at 0.5L/Min,the O ₃ Concentration is 80MG/L. The flow rate is at 1L/Min,the O ₃ Concentration is 60MG/L

Ozone Water Generator

USAGE:

Chef- designed for kitchen, unique mini design, easy to use. ozonated water to meet need for daily life and restaurant. Medical-Increase safety and sanitation people use water to wash, bathe or irrigate wounds and incisions; Laundry- eliminate mold, fungus, bacteria and virus, remove pesticides and herbicides, and decompose petroleum hydrocarbon;



FEATURES

- ◆ High Ozone Concentration 1-3ppm
- ◆ Nice Design, no Consumable Parts Or Oxygen Gas Need
- ◆ Use Air And Water As Material


TECHNICAL PARAMETER:

Product name:	Ozone Water Machine
Ozone Output:	5000mg/h
Type:	Tap Water
Water Pressure:	>3.0 Bar
Temperature:	5-30 Degree
Ozonated Water Flow:	200 L-1200 L/hour
Ozonated Water Concentration:	1.0-3.0 Ppm (inlet Water Temperature: 15°C; Ambient Temperature: 20 °C; Inlet Water Quality: < 500micros/cm)
Rated Power:	100w;
Voltage:	110V/220V (optional); 50/60Hz
Unit Size:	L245 X W 160 X H310mm
Net Weight:	3.5 Kgs
Gross Weight:	5.0 Kgs

Ozone Water Machine 5.0-8.0ppm

USAGE:

Chef- designed for kitchen, unique mini design, easy to use. ozonated water to meet need for daily life and restaurant. Medical-Increase safety and sanitation people use water to wash, bathe or irrigate wounds and incisions; Laundry- eliminate mold, fungus, bacteria and virus, remove pesticides and herbicides, and decompose petroleum hydrocarbon;



FEATURES

- ◆ High Ozone Concentration 5-8ppm
- ◆ Nice Design, no Consumable Parts Or Oxygen Gas Need
- ◆ Use Air And Water As Material


TECHNICAL PARAMETER:

Product name:	Ozone Water Machine
Ozone Output:	5000mg/h
Type:	Tap Water
Water Pressure:	>3.0 Bar
Temperature:	5-30 Degree
Ozonated Water Flow:	200 L-1200 L/hour
Ozonated Water Concentration:	5.0-8.0 PP (Inlet water temperature: 15℃; Ambient temperature: 20 ℃; Inlet water quality: < 500micro/cm)
Rated Power:	350w;
Voltage:	220V; 50/60Hz
Unit Size:	L410 x W 155 x H355mm
Net Weight:	14 Kgs

20L Ozone Water Machine

SCOPE OF APPLICATION:

This Is An Intelligent Ozone Water Machine Designed For Kitchen, Unique Mini Design, Easy To Use. Safety Ozone Is Mixed With Water And Produce Ozonated Water To Meet Need For Daily Life And Restaurant.



FEATURES

- ◆ 304 Stainless Steel Case
- ◆ Self-priming Work
- ◆ Dual Jet Mixer

TECHNICAL PARAMETER:

Product Name:	Ozone-water generator
Input Voltage:	DC220V
Size:	22*27*34cm
Water Flow:	10L-15L/min
Weight:	8kg
Concentration:	1-3ppm
Shell Material:	304 stainless steel
Accessories:	water pipe、water gun、power line

50g Ozone Machine

SCOPE OF APPLICATION:

Drinking water, swimming pools, restaurants/canteens, hospitals/medical, food processing, meat processing, aquatic products and livestock farms, aquaculture and other industries.

FEATURES

- ◆ Sterilization Quickly And Thoroughly
- ◆ No Residue Characteristics.
- ◆ Safe And Reliable, Easy To Operate.



TECHNICAL PARAMETER:

Equipment name:	50g ozone machine / oxygen system
Equipment model:	ASK-50-A
Input power:	220V/50HZ
Rated power:	1500W
Ozone export:	DN25
Ozone air delivery mixed flow:	40 cubic meters / hour
Equipment size:	500*450*1450mm
Gas source:	built-in oxygen generator 7L/H
Cooling method:	water cooling + air cooling
Ozone concentration:	90mg/L—120mg/L
Control method:	ozone concentration regulator
Equipment configuration:	ozone discharge tube, ozone power supply, built-in oil-free air compressor, PSA oxygen generator, conveying hybrid high pressure fan, ozone concentration regulator, PLC automatic control system, man-machine interface
Features:	Built-in oil-free air compressor, precision filter, condenser and other PSA oxygen equipment, to ensure clean, oil-free, high ozone concentration.

100g Ozone Machine

SCOPE OF APPLICATION:

Drinking water, swimming pools, restaurants/canteens, hospitals/medical, food processing, meat processing, aquatic products and livestock farms, aquaculture and other industries.

FEATURES

- ◆ Sterilization Quickly And Thoroughly
- ◆ No Residue Characteristics.
- ◆ Safe And Reliable, Easy To Operate.



TECHNICAL PARAMETER:

Equipment name:	100g ozone machine / oxygen system
Equipment model:	ASK-100-A
Input power:	220V/50HZ
Rated power:	2100W
Equipment size:	500*450*1450mm
Gas source:	built-in oxygen generator 15L/H
Cooling method:	water cooling + air cooling
Ozone concentration:	90mg/L—120mg/L
Control method:	ozone concentration regulator
Equipment configuration:	ozone discharge tube, ozone power supply, built-in oil-free air compressor, PSA oxygen generator, conveying hybrid high pressure fan, ozone concentration regulator, PLC automatic control system, man-machine interface
Features:	Built-in oil-free air compressor, precision filter, condenser and other PSA oxygen equipment, to ensure clean, oil-free, high ozone concentration.

150g Ozone Machine

SCOPE OF APPLICATION:

Drinking water, swimming pools, restaurants/canteens, hospitals/medical, food processing, meat processing, aquatic products and livestock farms, aquaculture and other industries.

FEATURES

- ◆ Sterilization Quickly And Thoroughly
- ◆ No Residue Characteristics.
- ◆ Safe And Reliable, Easy To Operate.



TECHNICAL PARAMETER:

Equipment name:	150g ozone machine / oxygen system
Equipment model:	ASK-150-A
Input power:	380V/50HZ
Rated power:	1500W
Ozone equipment size:	600*450*1650mm
Oxygen production equipment size:	700*500*1400mm
Oxygen generator power:	1500W
Gas source:	Oxygen generator 20L/H
Cooling method:	water cooling + air cooling
Ozone concentration:	90mg/L—120mg/L
Control method:	ozone concentration regulator
Equipment configuration:	ozone discharge tube, ozone power supply, built-in oil-free air compressor, PSA oxygen generator, conveying hybrid high pressure fan, ozone concentration regulator, PLC automatic control system, man-machine interface
Features:	Built-in oil-free air compressor, precision filter, condenser and other PSA oxygen equipment, to ensure clean, oil-free, high ozone concentration.

200g Ozone Machine

SCOPE OF APPLICATION:

Drinking water, swimming pools, restaurants/canteens, hospitals/medical, food processing, meat processing, aquatic products and livestock farms, aquaculture and other industries.

FEATURES

- ◆ Sterilization Quickly And Thoroughly
- ◆ No Residue Characteristics.
- ◆ Safe And Reliable, Easy To Operate.



TECHNICAL PARAMETER:

Equipment name:	200g ozone machine / oxygen system
Equipment model:	ASK-200-A
Input power:	380V/50HZ
Rated power:	2000W
Ozone equipment size:	600*450*1650mm
Oxygen production equipment size:	700*500*1400mm
Oxygen generator power:	2000W
Gas source:	Oxygen generator 35L/H
Cooling method:	water cooling + air cooling
Ozone concentration:	90mg/L—120mg/L
Control method:	ozone concentration regulator
Equipment configuration:	ozone discharge tube, ozone power supply, built-in oil-free air compressor, PSA oxygen generator, conveying hybrid high pressure fan, ozone concentration regulator, PLC automatic control system, man-machine interface
Features:	Built-in oil-free air compressor, precision filter, condenser and other PSA oxygen equipment, to ensure clean, oil-free, high ozone concentration.

300g Ozone Machine

SCOPE OF APPLICATION:

Drinking water, swimming pools, restaurants/canteens, hospitals/medical, food processing, meat processing, aquatic products and livestock farms, aquaculture and other industries.

FEATURES

- ◆ Sterilization Quickly And Thoroughly
- ◆ No Residue Characteristics.
- ◆ Safe And Reliable, Easy To Operate.



TECHNICAL PARAMETER:

Equipment name:	300g ozone machine / oxygen system
Equipment model:	ASK-300-A
Input power:	380V/50HZ
Rated power:	3000W
Ozone equipment size:	600*450*1650mm
Oxygen production equipment size:	900*500*1400mm
Oxygen generator power:	3000W
Gas source:	Oxygen generator 50L/H
Cooling method:	water cooling + air cooling
Ozone concentration:	90mg/L—120mg/L
Control method:	ozone concentration regulator
Equipment configuration:	ozone discharge tube, ozone power supply, built-in oil-free air compressor, PSA oxygen generator, conveying hybrid high pressure fan, ozone concentration regulator, PLC automatic control system, man-machine interface
Features:	Built-in oil-free air compressor, precision filter, condenser and other PSA oxygen equipment, to ensure clean, oil-free, high ozone concentration.



PRODUCT BROCHURE

Sihon Electronics Co., Ltd.

Tel: +86 0550-7038992

Cell: +86 180-98384778

Email: sales@sihon.com.cn

Web: www.sihon-ozone.com www.cnxhe.com